

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly




FIG. 18

- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly




FIG. 19

- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly




FIG. 20

- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly





FIG. 21


- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly



094459-02101
FIG. 20 / 2594459


- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly

FIG. 22



- Logic Branch Project
 - Get Parts
 - L Or Rt Handed?
 - Right
 - Complete Assembly

FIG. 23



- Logic Branch
 - Get Parts
 - L Or Rt Handed?
 - Left
 - Left Special
 - Complete Assembly

FIG. 24




FIG. 25




FIG. 26





FIG. 27






FIG. 28B




FIG. 28C




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33A




FIG. 33B

3392 3393

3394 {

- <artifact id="1527" identity="linkable1" name="Document is INITIAL">
 <description>**The condition becomes true when the %Document% artifact gets the INITIAL state. To make this condition valid you should define the %Document% parameter and optionally define the document template and the application to open the document.**</description>
 <type>linkable</type>
 <link link="%Document%" />
 <state>INITIAL</state>
 <event id="1528" /> 3395
 </artifact>
- <artifact id="1529" identity="linkable1" name="Document is LEFT">
 <description>**The condition becomes true when the %Document% artifact gets the LEFT state. To make this condition valid you should define the %Document% parameter and optionally define the document template and the application to open the document.**</description>
 <type>linkable</type>
 <link link="%Document%" />
 <state>LEFT</state>
 <event id="1530" />
 </artifact>
- <artifact id="1531" identity="linkable1" name="Document is LEFT SPECIAL">
 <description>**The condition becomes true when the %Document% artifact gets the LEFT SPECIAL state. To make this condition valid you should define the %Document% parameter and optionally define the document template and the application to open the document.**</description>
 <type>linkable</type>
 <link link="%Document%" />
 <state>LEFT SPECIAL</state>
 <event id="1532" />
 </artifact>
- <artifact id="1533" identity="linkable1" name="Document is RIGHT">
 <description>**The condition becomes true when the %Document% artifact gets the RIGHT state. To make this condition valid you should define the %Document% parameter and optionally define the document template and the application to open the document.**</description>
 <type>linkable</type>
 <link link="%Document%" />
 <state>RIGHT</state>
 <event id="1534" /> 3399
 </artifact>
- <artifact id="1535" identity="linkable1" name="Document is APPROVED">
 <description>**The condition becomes true when the %Document% artifact gets the APPROVED state. To make this condition valid you should define the %Document% parameter and optionally define the document template and the application to open the document.**</description>
 <type>linkable</type>
 <link link="%Document%" />
 <state>APPROVED</state>
 <event id="1536" />
 </artifact>

3397 3398

FIG. 33C



FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38

3800

Script-oriented condition properties

✓ Specify the name and description for condition.

Condition name 3804

Description 3806
Tests if the percent completion is 100%.

3808 {

✓ Specify when to check the condition

☐ * Absolute time 3810

☐ Period 3812

☐ * Url change 3814

* - values for these items will be assigned at planning phase

☒ * Task change 3816

☐ Any http request 3818

3802 {

✓ Define script parameters and content 3822

Name	Value	Add

3824

Script content 3826
getPercent()==100;

3828

Ok Cancel

FIG. 39




FIG. 40




FIG. 41A




FIG. 41B




FIG. 42




FIG. 43




FIG. 44




FIG. 45

4500

✓ Specify timetable for project

4502 { Select Timetable template

4504 ☒ Standard Timetable ☐ Intensive Timetable 4520

☐ 24 Hours 4518

Working Days

4510 4508 4512 4514 4516

Working Hours

4506 { Sunday

Monday

Tuesday

Wednesday

Thursday

Friday

Saturday

FIG. 46

4600

✓ Specify start and finish dates of the project

Start date (mm/dd/yyyy) 7/2/2001 9AM 4602

Finish date (mm/dd/yyyy) 8/10/2001 5PM 4604

Edit Work Calendar

FIG. 47

4700



```

<?xml version="1.0" encoding="UTF-8" ?>
<process group="" name="Serial & Parallel">
  <description />
  <role name="Worker" />
  <activity id="10" name="Serial 1" responsiblerole="Worker">
    <description />
    <defduration units="hours" value="9" /> 4704
    <predecessors_id id="11" />
    <successors_id id="1522" />
  </activity>
  <activity id="1523" name="Parallel 1" responsiblerole="Worker">
    <description />
    <defduration units="hours" value="24" /> 4710
    <predecessors_id id="1522" />
    <successors_id id="1525" />
  </activity>
  <activity id="1524" name="Parallel 2" responsiblerole="Worker">
    <description />
    <defduration units="hours" value="24" /> 4712
    <predecessors_id id="1522" />
    <successors_id id="1525" />
  </activity>
  <activity id="1526" name="Serial 2" responsiblerole="Worker">
    <description />
    <defduration units="hours" value="24" /> 4716
    <predecessors_id id="1525" />
    <successors_id id="12" />
  </activity>
  <syncbar id="11">
    <description />
    <startBar>T</startBar>
    <successors_id id="10" />
  </syncbar>
  <syncbar id="12">
    <description />
    <endBar>T</endBar>
    <predecessors_id id="1526" />
  </syncbar>
  <syncbar id="1522" name="SyncBarH1">
    <description />
    <predecessors_id id="10" />
    <successors_id id="1523" />
    <successors_id id="1524" />
  </syncbar>
  <syncbar id="1525" name="SyncBarH2">
    <description />
    <predecessors_id id="1523" />
    <predecessors_id id="1524" />
    <successors_id id="1526" />
  </syncbar>
</process>

```

[illegible]

4802

4808

4810

4820

FIG. 49




FIG. 50






FIG. 53





FIG. 54



5406

FIG. 55

5500

External synchronization

New:389

5502 { LDAP Server — 5504 frodo
LDAP Port — 5506 389
People DN — 5508 OU=LOCAL USERS, DC=amazosoft, DC=com

☐ Use password

Security DN — 5510
Password — 5512
Login alias — 5514 mlogin

Add Remove Save Close Synchronize

FIG. 56

5600



```
<?xml version="1.0" encoding="UTF-8" ?>
<users>
  <user>
    <id>PH</id>
    <name>Pointy Hair</name>
    <email>ph@company.com</email>
    <password>ZGV364==</password>
    url= "Software_Projects/Hello-World_App/Users_1.xml"
  </user>
  <user>
    <id>MQ</id>
    <name>Mister Quality</name>
    <email>mq@company.com</email>
    <password>ZGV636==</password>
    url= "Software_Projects/Hello-World_App/Users_1.xml"
  </user>
  <user>
    <id>MB</id>
    <name>Mister Build</name>
    <email>mb@company.com</email>
    <password>ZGV835==</password>
    url= "Software_Projects/Hello-World_App/Users_1.xml"
  </user>
  <user>
    <id>MT</id>
    <name>Mister Tee</name>
    <email>mt@company.com</email>
    <password>ZGV470==</password>
    url= "Software_Projects/Hello-World_App/Users_1.xml"
  </user>
</users>
```

5602 {

5610 {

5612 {

5604 {

5606 {

5608 {

FIG. 57A




FIG. 57B




FIG. 58




FIG. 59

5900



```
<?xml version="1.0" encoding="UTF-8" ?>
<A:plan name="Serial_And_Parallel" userid="JK" xmlns:A="workflow">
  <A:description>
    <![CDATA[
      No Description
    ]]>
  </A:description>
  <A:task activityID="10" caption="Serial 1"
    link="Sample_Project_Plans/Serial_And_Parallel/Task_2.xml" name="Task_2"
    owner="Worker"
    processURL="http://localhost:8080/webdav/ProcessGroup2/Process1.xml"
    type="general" userid="JK">
    <A:start>2001 8 1 8</A:start>
    <A:finish>2001 8 1 18</A:finish>
    <A:supertask name="Task_1" />
    <A:user>JK</A:user>
    <A:successor name="Task_3" />
    <A:successor name="Task_4" />
  </A:task>
  <A:task activityID="1523" caption="Parallel 1"
    link="Sample_Project_Plans/Serial_And_Parallel/Task_3.xml" name="Task_3"
    owner="Worker"
    processURL="http://localhost:8080/webdav/ProcessGroup2/Process1.xml"
    type="general" userid="JK">
    <A:start>2001 8 1 18</A:start>
    <A:finish>2001 8 2 18</A:finish>
    <A:supertask name="Task_1" />
    <A:user>JK</A:user>
    <A:predecessor name="Task_2" />
    <A:successor name="Task_5" />
  </A:task>
  <A:task activityID="1524" caption="Parallel 2"
    link="Sample_Project_Plans/Serial_And_Parallel/Task_4.xml" name="Task_4"
    owner="Worker"
    processURL="http://localhost:8080/webdav/ProcessGroup2/Process1.xml"
    type="general" userid="JK">
    <A:start>2001 8 1 18</A:start>
    <A:finish>2001 8 2 18</A:finish>
    <A:supertask name="Task_1" />
    <A:user>JK</A:user>
    <A:predecessor name="Task_2" />
    <A:successor name="Task_5" />
  </A:task>
  <A:task activityID="1526" caption="Serial 2"
    link="Sample_Project_Plans/Serial_And_Parallel/Task_5.xml" name="Task_5"
    owner="Worker"
    processURL="http://localhost:8080/webdav/ProcessGroup2/Process1.xml"
    type="general" userid="JK">
    <A:start>2001 8 2 18</A:start>
    <A:finish>2001 8 3 18</A:finish>
    <A:supertask name="Task_1" />
    <A:user>JK</A:user>
    <A:predecessor name="Task_3" />
    <A:predecessor name="Task_4" />
  </A:task>
  <A:task activityID="NONE" caption="Serial And Parallel"
    link="Sample_Project_Plans/Serial_And_Parallel/Task_1.xml" name="Task_1"
    processURL="http://localhost:8080/webdav/ProcessGroup2/Process1.xml"
    type="general" userid="JK">
    <A:start>2001 8 1 8</A:start>
    <A:finish>2001 8 3 18</A:finish>
    <A:user>JK</A:user>
    <A:subtask name="Task_2" />
```

00944697 033101

FIG. 60




FIG. 61

```
<?xml version="1.0" encoding="UTF-8" ?>
- <A:FilePropertyMap xmlns:A="adrenalin:">
  <A:factstart xmlns:A="workflow">2001 8 1 9</A:factstart>
  <A:factfinish xmlns:A="workflow">2001 8 1 14</A:factfinish>
  <A:ProjectTask xmlns:A="Serial 1" />
</A:FilePropertyMap>
```

FIG. 62




FIG. 63

```
<?xml version="1.0" encoding="UTF-8" ?>
- <A:FilePropertyMap xmlns:A="adrenalin:">
  <A:factstart xmlns:A="workflow">2001 8 1 14</A:factstart>
  <A:factfinish xmlns:A="workflow">2001 8 2 0</A:factfinish>
  <A:ProjectTask xmlns:A="Parallel 1" />
  <A:ProjectTask xmlns:A="Parallel 2" />
</A:FilePropertyMap>
```

FIG. 64




FIG. 65

FIG. 65

6500

```
<?xml version="1.0" encoding="UTF-8" ?>
- <A:FilePropertyMap xmlns:A="adrenalin:">
  <A:factstart xmlns:A="workflow">2001 8 2 0</A:factstart>
  <A:factfinish xmlns:A="workflow">2001 8 2 12</A:factfinish>
  <A:ProjectTask xmlns:A="Serial 2" />
</A:FilePropertyMap>
```

6504

6506

6502

FIG. 66

